



PUBLIC WORKS DEPARTMENT – WATER RESOURCES DIVISION

SEWER LATERAL INSPECTION PROGRAM **CERTIFICATION PROGRAM**

2017 Training Session







SANTA BARBARA

PUBLIC WORKS DEPARTMENT



SEWER LATERAL INSPECTION PROGRAM

Other Issues

- Shared Laterals
 - Inspection required only on portion of lateral on owner's property and in public right-ofway
- Septic Tanks
 - · Same requirements for inspection as laterals
- Exemptions
 - Lateral has been installed in past 20 years 14.46.040 section (D)
 - Line inspected in past 3 years- 14.46.040 with proof of submitted documents

5

SANTA BARBARA	PUBLIC WORKS DEPARTMENT		
PERMITS & WAIVERS	Permits	2017 Fee Range	Eligible for Waiver?
	Open Trench	\$377 & up	Yes
 Permit fees associated with a residential lateral repair or replacement which are initiated by a City SLIP letter will be waived. When wye replacement is required, wye fees are never waived as it is a service fee for the City's Contractor to install new wye. 	Bore hole	\$85 & up	Yes
	Traffic control	\$300 - \$1300	Yes
	Wye Installation	\$725 4" \$745 6"	Never
	Backwater Valve (Building Permit)	\$218	No
	Clean Out (Building Permit)	\$277	No
6		SantaB	BarbaraCA.gov



PUBLIC WORKS DEPARTMENT



SEWER TAP REPLACEMENT

- Available Days: Tuesdays & Thursdays
- 8:00 AM & 10:00 AM Schedule 1 week in advance at the Public Works Permit Counter
- Standby Fee \$95 (20 min)
- Cancellation Fee \$363
 - Public Works Inspector may cancel the sewer tap if work cannot be completed within the scheduled timeframe.

7

SantaBarbaraCA.gov



PUBLIC WORKS DEPARTMENT




CONTRACTOR SEWER TAP REQUIREMENTS

- All excavations need to have proper shoring in place per Cal OSHA requirements. Unsafe
 conditions that are in place upon our arrival will be cause to cancel the scheduled
 appointment and impose rescheduling fees.
- The existing sewer main needs to be completely exposed! This includes 3' upstream and downstream from where the new wye will be placed. The bottom of the pipe also needs to be completely excavated and exposed so there is room to place the wye and repair couplings
- Excavation needs to have a minimum of 18" clear on both sides of the pipe exposed to have proper work space for the installation. This requirement can widen depending on excavation depth and shoring requirements
- Do not break into the existing VCP pipe, fittings or lateral. Excavations that are filled with sewage when we arrive will be cancelled and rescheduled.
- Do not remove any VCP pipe or VCP fittings prior to our arrival, even if the main has a liner in place. Breaking the line may cause fractures in the pipe that could cause for additional placement of pipe, additional excavation, or work beyond the normal scope.

8







PUBLIC WORKS DEPARTMENT



INSPECTION STANDARDS

Benefits of PACP/LACP

- Improves pipe condition grade quality and consistency which improves ability to identify priorities for pipe system rehabilitation and repair.
- Detects changes in pipe condition Quantitatively measures the difference in lateral condition between one inspection and subsequent inspections.
- Direct, objective and consistent Consistent and thorough collection of data to simplify a host of wastewater management tasks
- Provides separate rating for structural and O&M defects
- Considers total number of internal pipe defects within pipe segment and *pipe material*not just depth, age, soil and surface condition.
- Widely accepted standard to meet 21st century compliance to meet regulatory requirements.

11

SantaBarbaraCA.gov




PUBLIC WORKS DEPARTMENT




CCTV Standards & Requirements

- Available on the City's Sewer Lateral Inspection Program webpage: http://www.santabarbaraca.gov/gov/depts/pw/resources/slip/default.asp
- Common reasons for lateral inspection video rejection:
 - Speed (SLOW DOWN!) 20' per minute
 - · Missing footage counter
 - · Light intensity
 - Dirty lens (smudged)
 - Not identifying defects on inspection form
 - · Incomplete inspection form

12





SANTA BARBARA	PUBL	IC WORKS DEPARTMENT
	PRIVATE SEWER LATERAL INSPECTION REPORT FORM To be completed by Cartified Company Representative and submitled to City pair to any repart wow. Couldment Name	
	15	SantaBarbaraCA.gov

SANTA PARRARA	DIID	UIC WORKS DEDARTMENT
SANTA BARBARA	OBSERVATION CODES B BROKEN 1 REPURSATION R ROOTS 25% 56% 75% C CHACC 0 OFFSET 0 ORANGE REPIRE F PRINCIPLE 5 SAG OR OUT OF BOARD T PRINCIPLE 1 SAG OR OUT OF BOARD TO STAND 1 SAG OR OUT O	SLIC WORKS DEPARTMENT
	16	SantaBarbaraCA.gov

SANTA BARBARA PUBLIC WORKS DEPARTMENT

SUBMITTAL PACKAGE:

- Form:
 - · Complete, clean and legible form
- Inspection Video:
 - DVD, USB or other Electronic format capable of download by the City
 - Video shall be clear, well lit, in color, traveling no more than 20 ft/min and hold for min. 5 seconds at defects.

17





